

Polynomials - Multiplying

Multiplying polynomials can take several different forms based on what we are multiplying. We will first look at multiplying monomials, then monomials by polynomials and finish with polynomials by polynomials.

Multiplying monomials is done by multiplying the numbers or coefficients and then adding the exponents on like factors. This is shown in the next example.

Example 1.

$$\begin{array}{ll} (4x^3y^4z)(2x^2y^6z^3) & \text{Multiply numbers and add exponents for } x, y, \text{ and } z \\ 8x^5y^{10}z^4 & \text{Our Solution} \end{array}$$

In the previous example it is important to remember that the z has an exponent of 1 when no exponent is written. Thus for our answer the z has an exponent of $1 + 3 = 4$. Be very careful with exponents in polynomials. If we are adding or subtracting the exponents will stay the same, but when we multiply (or divide) the exponents will be changing.

Next we consider multiplying a monomial by a polynomial. We have seen this operation before with distributing through parenthesis. Here we will see the exact same process.

Example 2.

$$\begin{array}{ll} 4x^3(5x^2 - 2x + 5) & \text{Distribute the } 4x^3, \text{ multiplying numbers, adding exponents} \\ 20x^5 - 2x^4 + 5x^3 & \text{Our Solution} \end{array}$$

Following is another example with more variables. When distributing the exponents on a are added and the exponents on b are added.

Example 3.

$$\begin{array}{ll} 2a^3b(3ab^2 - 4a) & \text{Distribute, multiplying numbers and adding exponents} \\ 6a^4b^3 - 8a^4b & \text{Our Solution} \end{array}$$

There are several different methods for multiplying polynomials. All of which work, often students prefer the method they are first taught. Here three methods will be discussed. All three methods will be used to solve the same two multiplication problems.

Multiply by Distributing

Just as we distribute a monomial through parenthesis we can distribute an entire polynomial. As we do this we take each term of the second polynomial and put it in front of the first polynomial.

Example 4.

$$\begin{array}{ll} (4x + 7y)(3x - 2y) & \text{Distribute } (4x + 7y) \text{ through parenthesis} \\ 3x(\mathbf{4x + 7y}) - 2y(\mathbf{4x + 7y}) & \text{Distribute the } 3x \text{ and } -2y \\ 12x^2 + 21xy - 8xy - 14y^2 & \text{Combine like terms } 21xy - 8xy \\ 12x^2 + 13xy - 14y^2 & \text{Our Solution} \end{array}$$

Example 4 illustrates an important point, the negative/subtraction sign stays with the $2y$. Which means on the second step the negative is also distributed through the last set of parenthesis.

Multiplying by distributing can easily be extended to problems with more terms. First distribute the front parenthesis onto each term, then distribute again!

Example 5.

$$\begin{array}{ll} (2x - 5)(4x^2 - 7x + 3) & \text{Distribute } (2x - 5) \text{ through parenthesis} \\ 4x^2(\mathbf{2x - 5}) - 7x(\mathbf{2x - 5}) + 3(\mathbf{2x - 5}) & \text{Distribute again through each parenthesis} \\ 8x^3 - 20x^2 - 14x^2 + 35x + 6x - 15 & \text{Combine like terms} \\ 8x^3 - 34x^2 + 41x - 15 & \text{Our Solution} \end{array}$$

This process of multiplying by distributing can easily be reversed to do an important procedure known as factoring. Factoring will be addressed in a future lesson.

Multiply by FOIL

Another form of multiplying is known as FOIL. Using the FOIL method we multiply each term in the first binomial by each term in the second binomial. The letters of FOIL help us remember every combination. F stands for First, we multiply the first term of each binomial. O stand for Outside, we multiply the outside two terms. I stands for Inside, we multiply the inside two terms. L stands for Last, we multiply the last term of each binomial. This is shown in the next example:

Example 6.

$(4x + 7y)(3x - 2y)$	Use FOIL to multiply
$(4x)(3x) = 12x^2$	<i>F</i> – First terms $(4x)(3x)$
$(4x)(-2y) = -8xy$	<i>O</i> – Outside terms $(4x)(-2y)$
$(7y)(3x) = 21xy$	<i>I</i> – Inside terms $(7y)(3x)$
$(7y)(-2y) = -14y^2$	<i>L</i> – Last terms $(7y)(-2y)$
$12x^2 - 8xy + 21xy - 14y^2$	Combine like terms $-8xy + 21xy$
$12x^2 + 13xy - 14y^2$	Our Solution

Some student like to think of the FOIL method as distributing the first term $4x$ through the $(3x - 2y)$ and distributing the second term $7y$ through the $(3x - 2y)$. Thinking about FOIL in this way makes it possible to extend this method to problems with more terms.

Example 7.

$(2x - 5)(4x^2 - 7x + 3)$	Distribute $2x$ and -5
$(2x)(4x^2) + (2x)(-7x) + (2x)(3) - 5(4x^2) - 5(-7x) - 5(3)$	Multiply out each term
$8x^3 - 14x^2 + 6x - 20x^2 + 35x - 15$	Combine like terms
$8x^3 - 34x^2 + 41x - 15$	Our Solution

The second step of the FOIL method is often not written, for example, consider example 6, a student will often go from the problem $(4x + 7y)(3x - 2y)$ and do the multiplication mentally to come up with $12x^2 - 8xy + 21xy - 14y^2$ and then combine like terms to come up with the final solution.

Multiplying in rows

A third method for multiplying polynomials looks very similar to multiplying numbers. consider the problem:

35	
$\times 27$	
245	Multiply 7 by 5 then 3
700	Use 0 for placeholder, multiply 2 by 5 then 3
945	Add to get our solution

The same process can be done with polynomials. Multiply each term on the bottom with each term on the top.

Example 8.

$$\begin{array}{r}
 (4x + 7y)(3x - 2y) \\
 \quad 4x + 7y \\
 \quad \times 3x - 2y \\
 \quad - 8xy - 14y^2 \\
 \hline
 12x^2 + 21xy \\
 \hline
 12x^2 + 13xy - 14y^2
 \end{array}$$

Rewrite as vertical problem

Multiply $-2y$ by $7y$ then $4x$

Multiply $3x$ by $7y$ then $4x$. Line up like terms

Add like terms to get our solution

This same process is easily expanded to a problem with more terms.

Example 9.

$$\begin{array}{r}
 (2x - 5)(4x^2 - 7x + 3) \\
 \quad 4x^3 - 7x + 3 \\
 \quad \times 2x - 5 \\
 \quad - 20x^2 + 35x - 15 \\
 \hline
 8x^3 - 14x^2 + 6x \\
 \hline
 8x^3 - 34x^2 + 41x - 15
 \end{array}$$

Rewrite as vertical problem

Put polynomial with most terms on top

Multiply -5 by each term

Multiply $2x$ by each term. Line up like terms

Add like terms to get our solution

This method of multiplying in rows also works with multiplying a monomial by a polynomial!

Any of the three described methods work to multiply polynomials. It is suggested that you are very comfortable with at least one of these methods as you work through the practice problems. All three methods are shown side by side in Example 10

Example 10.

$$(2x - y)(4x - 5y)$$

Distribute	FOIL	Rows
$4x(2x - y) - 5y(2x - y)$	$2x(4x) + 2x(-5y) - y(4x) - y(-5y)$	$2x - y$
$8x^2 - 4xy - 10xy - 5y^2$	$8x^2 - 10xy - 4xy + 5y^2$	$\times 4x - 5y$
$8x^2 - 14xy - 5y^2$	$8x^2 - 14xy + 5y^2$	$- 10xy + 5y^2$
		$\hline 8x^2 - 4xy$
		$\hline 8x^2 - 14xy + 5y^2$

Practice - Multiply Polynomials

Find each product.

1) $6(p - 7)$

2) $4k(8k + 4)$

3) $2(6x + 3)$

4) $3n^2(6n + 7)$

5) $5m^4(4m + 4)$

6) $3(4r - 7)$

7) $(4n + 6)(8n + 8)$

8) $(2x + 1)(x - 4)$

9) $(8b + 3)(7b - 5)$

10) $(r + 8)(4r + 8)$

11) $(4x + 5)(2x + 3)$

12) $(7n - 6)(n + 7)$

13) $(3v - 4)(5v - 2)$

14) $(6a + 4)(a - 8)$

15) $(6x - 7)(4x + 1)$

16) $(5x - 6)(4x - 1)$

17) $(5x + y)(6x - 4y)$

18) $(2u + 3v)(8u - 7v)$

19) $(x + 3y)(3x + 4y)$

20) $(8u + 6v)(5u - 8v)$

21) $(7x + 5y)(8x + 3y)$

22) $(5a + 8b)(a - 3b)$

23) $(r - 7)(6r^2 - r + 5)$

24) $(4x + 8)(4x^2 + 3x + 5)$

25) $(6n - 4)(2n^2 - 2n + 5)$

26) $(2b - 3)(4b^2 + 4b + 4)$

27) $(6x + 3y)(6x^2 - 7xy + 4y^2)$

28) $(3m - 2n)(7m^2 + 6mn + 4n^2)$

29) $(8n^2 + 4n + 6)(6n^2 - 5n + 6)$

30) $(2a^2 + 6a + 3)(7a^2 - 6a + 1)$

31) $(5k^2 + 3k + 3)(3k^2 + 3k + 6)$

32) $(7u^2 + 8uv - 6v^2)(6u^2 + 4uv + 3v^2)$

Beginning and Intermediate Algebra by Tyler Wallace is licensed under a Creative Commons Attribution 3.0 Unported License. (<http://creativecommons.org/licenses/by/3.0/>)

Answers to Multiply Polynomials

- | | |
|-----------------------|---|
| 1) $6p - 42$ | 17) $30x^2 - 14xy - 4y^2$ |
| 2) $32k^2 + 16k$ | 18) $16u^2 + 10uv - 21v^2$ |
| 3) $12x + 6$ | 19) $3x^2 + 13xy + 12y^2$ |
| 4) $18n^3 + 21n^2$ | 20) $40u^2 - 34uv - 48v^2$ |
| 5) $20m^5 + 20m^4$ | 21) $56x^2 + 61xy + 15y^2$ |
| 6) $12r - 21$ | 22) $5a^2 - 7ab - 24b^2$ |
| 7) $32n^2 + 80n + 48$ | 23) $6r^3 - 43r^2 - 12r - 35$ |
| 8) $2x^2 - 7x - 4$ | 24) $16x^3 + 44x^2 + 44x + 40$ |
| 9) $56b^2 - 19b - 15$ | 25) $12n^3 - 20n^2 + 38n - 20$ |
| 10) $4r^2 + 40r + 64$ | 26) $8b^3 - 4b^2 - 4b - 12$ |
| 11) $8x^2 + 22x + 15$ | 27) $36x^3 - 24x^2y + 3xy^2 + 12y^3$ |
| 12) $7n^2 + 43n - 42$ | 28) $21m^3 + 4m^2n - 8n^3$ |
| 13) $15v^2 - 26v + 8$ | 29) $48n^4 - 16n^3 + 64n^2 - 6n + 36$ |
| 14) $6a^2 - 44a - 32$ | 30) $14a^4 + 30a^3 - 13a^2 - 12a + 3$ |
| 15) $24x^2 - 22x - 7$ | 31) $15k^4 + 24k^3 + 48k^2 + 27k + 18$ |
| 16) $20x^2 - 29x + 6$ | 32) $42u^4 + 76u^3v + 17u^2v^2 - 18v^4$ |

Beginning and Intermediate Algebra by Tyler Wallace is licensed under a Creative Commons Attribution 3.0 Unported License. (<http://creativecommons.org/licenses/by/3.0/>)