Rational Expressions - Reducing

Rational expressions are expressions written as a quotient of polynomials. Example of rational expressions include:

$$\frac{x^2-x-12}{x^2-9+20}$$
 and $\frac{3}{x-2}$ and $\frac{a-b}{b-a}$ and $\frac{3}{2}$

As rational expressions are a special type of fraction, it is important to remember with fractions we cannot have zero in the denominator of a fraction. For this reason, rational expressions may have one more excluded values, or values that the variable cannot be or the expression would be undefined.

Example 1.

$$\begin{array}{lll} \mathrm{State} \ \mathrm{the} \ \mathrm{excluded} \ \mathrm{value}(s) \colon \frac{x^2-1}{3x^2+5x} & \mathrm{Denominator} \ \mathrm{can}'t \ \mathrm{be} \ \mathrm{zero} \\ & 3x^2+5x\neq 0 & \mathrm{Factor} \\ & x(3x+5)\neq 0 & \mathrm{Set} \ \mathrm{each} \ \mathrm{factor} \ \mathrm{not} \ \mathrm{equal} \ \mathrm{to} \ \mathrm{zero} \\ & x\neq 0 \ \mathrm{or} \ 3x+5\neq 0 & \mathrm{Subtract} \ 5 \ \mathrm{from} \ \mathrm{second} \ \mathrm{equation} \\ & \frac{-5-5}{3} & \mathrm{Divide} \ \mathrm{by} \ 3 \\ & \overline{3} \ \overline{3} & \\ & x\neq \frac{-5}{3} & \mathrm{Second} \ \mathrm{equation} \ \mathrm{is} \ \mathrm{solved} \\ & x\neq 0 \ \mathrm{or} \ \frac{-5}{3} & \mathrm{Our} \ \mathrm{Solution} \\ \end{array}$$

This means we can use any value for x in the equation except for 0 and $\frac{-5}{3}$. We can however, evaluate any other value in the expression. Rational expressions are easily evaluated by simplify substituting the value for the variable and using order of operations.

Example 2.

$$\frac{x^2-4}{x^2+6x+8} \text{ when } x=-6 \qquad \text{Substitute}-5 \text{ in for each variable}$$

$$\frac{(-6)^2-4}{(-6)^2+6(-6)+8} \qquad \text{Exponents first}$$

$$\frac{36-4}{36+6(-6)+8} \qquad \text{Multiply}$$

$$\frac{36-4}{36-36+6} \qquad \text{Add and subtract}$$

$$\frac{32}{6} \qquad \text{Reduce, dividing by 2}$$

$$\frac{16}{3} \qquad \text{Our Solution}$$

Just as we reduced the previous example, often a rational expression can be reduced, even without knowing the value of the variable. When we reduce we divide out common factors. We have already seen this with monomials when we discussed properties of exponents. If the problem only has monomials we can reduce the coefficients, and subtract exponents on the variables.

Example 3.

$$\frac{15x^4y^2}{25x^2y^6}$$
 Reduce , subtract exponents. Negative exponents move to denominator
$$\frac{3x^2}{5y^4}$$
 Our Solution

However, if there is more than just one term in either the numerator or denominator, we can't divide out common factors unless we first factor the numerator

and denominator.

Example 4.

$$\frac{28}{8x^2 - 16}$$
 Denominator has a common factor of 8
$$\frac{28}{8(x^2 - 2)}$$
 Reduce by dividing 24 and 8 by 4
$$\frac{7}{2(x^2 - 2)}$$
 Our Solution

Example 5.

$$\frac{9x-3}{18x-6}$$
 Numerator has a common factor of 3, denominator of 6
$$\frac{3(3x-1)}{6(3x-1)}$$
 Divide out common factor $(3x-1)$ and divide 3 and 6 by 3
$$\frac{1}{2}$$
 Our Solution

Example 6.

$$\frac{x^2-25}{x^2+8x+15} \qquad \text{Numerator is difference of squares, denominator is factored using ac}$$

$$\frac{(x+5)(x-5)}{(x+3)(x+5)} \qquad \text{Divide out common factor } (x+5)$$

$$\frac{x-5}{x+3} \qquad \text{Our Solution}$$

It is important to remember we cannot reduce terms, only factors. This means if there are any + or - between the parts we want to reduce we cannot. In the previous example we had the solution $\frac{x-5}{x+3}$, we cannot divide out the x's because they are terms (separated by + or -) not factors (separated by multiplication).



Beginning and Intermediate Algebra by Tyler Wallace is licensed under a Creative Commons Attribution 3.0 Unported License. (http://creativecommons.org/licenses/by/3.0/)

7.1

Practice - Reduce Rational Expressions

State the excluded values for each.

$$1) \ \frac{3k^2 + 30k}{k + 10}$$

2)
$$\frac{27p}{18p^2 - 36p}$$

$$3) \ \frac{15n^2}{10n+25}$$

4)
$$\frac{x+10}{8x^2+80x}$$

$$5) \ \frac{10m^2 + 8m}{10m}$$

6)
$$\frac{10x+16}{6x+20}$$

7)
$$\frac{r^2+3r+5}{5r+10}$$

8)
$$\frac{6n^2 - 21n}{6n^2 + 3n}$$

9)
$$\frac{b^2 + 12b + 32}{b^2 + 4b - 32}$$

$$10) \ \frac{10v^2 + 30v}{35v^2 - 5v}$$

Simplify each expression.

11)
$$\frac{21x^2}{18x}$$

$$35) \frac{9m+16}{20m-12}$$

13)
$$\frac{24a}{40a^2}$$

$$37) \ \frac{2x^2 - 10x + 8}{3x^2 - 7x + 4}$$

15)
$$\frac{32x^3}{8x^4}$$

$$39) \ \frac{7n^2 - 32n + 16}{4n - 16}$$

17)
$$\frac{18m-24}{60}$$

41)
$$\frac{n^2-2n+1}{6n+6}$$

19)
$$\frac{20}{4p+2}$$

$$43) \ \frac{7a^2 - 26a - 45}{6a^2 - 34a + 20}$$

$$21) \ \frac{x+1}{x^2+8x+7}$$

12)
$$\frac{12n}{4n^2}$$

$$23) \frac{32x^2}{28x^2 + 28x}$$

14)
$$\frac{21k}{24k^2}$$

$$25) \ \frac{n^2 + 4n - 12}{n^2 - 7n + 10}$$

16)
$$\frac{90x^2}{20x}$$

$$27) \ \frac{9v + 54}{v^2 - 4v - 60}$$

$$81n^3 + 36$$

$$29) \ \frac{12x^2 - 42x}{30x^2 - 42x}$$

$$20) \frac{n-9}{9n-81}$$

$$31) \ \frac{6a-10}{10a+4}$$

$$22) \frac{28m+12}{36}$$

$$33) \frac{2n^2 + 19n - 10}{9n + 90}$$

24)
$$\frac{49r+56}{56r}$$

26)
$$\frac{b^2 + 14b + 48}{b^2 + 15b + 56}$$

$$36) \frac{9r^2 + 81r}{5r^2 + 50r + 45}$$

$$28) \ \frac{30x - 90}{50x + 40}$$

$$38) \ \frac{50b - 80}{50b + 20}$$

$$30) \ \frac{k^2 - 12k + 32}{k^2 - 64}$$

$$40) \ \frac{35v + 35}{21v + 7}$$

$$32) \,\, \frac{9p+18}{p^2+4p+4}$$

$$42) \ \frac{56x - 48}{24x^2 + 56x + 32}$$

$$34) \ \frac{3x^2 - 29x + 40}{5x^2 - 30x - 80}$$

$$44) \ \frac{4k^3 - 2k^2 - 2k}{9k^3 - 18k^2 + 9k}$$



Beginning and Intermediate Algebra by Tyler Wallace is licensed under a Creative Commons Attribution 3.0 Unported License. (http://creativecommons.org/licenses/by/3.0/)

Answers - Reduce Rational Expressions

1)
$$\{-10\}$$

17)
$$\frac{3m-4}{10}$$

32)
$$\frac{9}{p+2}$$

$$2) \{0,2\}$$

18)
$$\frac{10}{9n^2(9n+4)}$$

33)
$$\frac{2n-1}{9}$$

3)
$$\{-\frac{5}{2}\}$$

19)
$$\frac{10}{2p+1}$$

34)
$$\frac{3x-5}{5(x+2)}$$

4)
$$\{0, -10\}$$

$$20) \frac{1}{9}$$

$$35) \frac{2(m+2)}{5m-3}$$

5)
$$\{0\}$$
6) $\{-\frac{10}{3}\}$

21)
$$\frac{1}{x+7}$$

$$36) \frac{5m-3}{5(r+1)}$$

7)
$$\{-2\}$$

22)
$$\frac{7m+3}{9}$$

$$3(r+1)$$

$$2(r-4)$$

8)
$$\{0, -\frac{1}{2}\}$$

$$23) \ \frac{8x}{7(x+1)}$$

37)
$$\frac{2(x-4)}{3x-4}$$

9)
$$\{-8,4\}$$

$$24) \ \frac{7r+8}{8r}$$

38)
$$\frac{5b-8}{5b+2}$$

10)
$$\{0,\frac{1}{7}\}$$

$$25) \frac{n+6}{n+5}$$

39)
$$\frac{7n-4}{4}$$

11)
$$\frac{7x}{6}$$

$$26) \frac{b+6}{b+7}$$

40)
$$\frac{5(v+1)}{3v+1}$$

12)
$$\frac{3}{n}$$

27)
$$\frac{9}{v-10}$$

41)
$$\frac{(n-1)^2}{2}$$

$$13) \frac{3}{5a}$$

28)
$$\frac{3(x-3)}{5x+4}$$

41)
$$\frac{(n-1)^2}{6(n+1)}$$

14)
$$\frac{7}{8k}$$

29)
$$\frac{2x-7}{5x-7}$$

42)
$$\frac{7x-6}{(3x+4)(x+1)}$$

15)
$$\frac{4}{x}$$

$$30) \ \frac{k-4}{k+8}$$

43)
$$\frac{7a+9}{2(3a-2)}$$

16)
$$\frac{9x}{2}$$

31)
$$\frac{3a-5}{5a+2}$$

44)
$$\frac{2(2k+1)}{9(k-1)}$$



Beginning and Intermediate Algebra by Tyler Wallace is licensed under a Creative Commons Attribution 3.0 Unported License. (http://creativecommons.org/licenses/by/3.0/)